



# UNITED STATES PATENT AND TRADEMARK OFFICE

A

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/032,014	12/31/2001	Mina M. Azad	583P21US	5843
26123	7590	10/20/2005		
BORDEN LADNER GERVAIS LLP WORLD EXCHANGE PLAZA 100 QUEEN STREET SUITE 1100 OTTAWA, ON K1P 1J9 CANADA			EXAMINER VAUGHN JR, WILLIAM C	
			ART UNIT 2143	PAPER NUMBER

DATE MAILED: 10/20/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

10/032,014

Applicant(s)

AZAD, MINA M.

Examiner

William C. Vaughn, Jr.

Art Unit

2143

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 29 July 2005.  
2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.  
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-12, 14, 15, 17, 18, 20 and 22 is/are pending in the application.  
4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.  
5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.  
6) ☒ Claim(s) 1-12, 14, 15, 17, 18, 20 and 22 is/are rejected.  
7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.  
8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.  
10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☐ All b) ☐ Some \* c) ☐ None of:  
1. ☐ Certified copies of the priority documents have been received.  
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)  
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)  
3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_.  
4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.  
5) ☐ Notice of Informal Patent Application (PTO-152)  
6) ☐ Other: \_\_\_\_\_.

### DETAILED ACTION

1. This Action is in regards to the Amendment and Response received on 29 July 2005.

#### *Claim Rejections - 35 USC § 103*

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-6, 9 and 13-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Petersen (US 6,049,530) in view of Rodriguez (TCP/IP Tutorial and Technical Overview; Rodriguez, Adolfo et al.).
4. Regarding claim 1, Petersen discloses the invention substantially as claimed. Petersen discloses a method of routing a special type of a data transmission unit (DTU) between a source node and a destination node in a network, both the source node and the destination node being capable of processing the special type of data transmission unit (column 2 line 60 - column 3 line 25), the method comprising: a) selecting intermediate nodes to be traversed by the DTU when transmitted from the source node to the destination node (column 4 lines 59-67, column 5 lines 37-52), where nodes are polled during an "activation phase" in order to determine their ability to be selected to participate in a "segment performance monitoring" session; b) designating the intermediate nodes selected as being in a specific path of nodes between the source node and the destination node (column 4 lines 29-37), where the AAL2 connection is the path containing the source, intermediate and destination nodes which will be traversed by the DTU; c) creating the-

Art Unit: 2143

DTU at the source node (column 6 lines 1-29), where the special type of DTU is one or more AAL2 packets with segment performance factors; and d) transmitting the DTU from the source node to the destination node along the specific path of nodes (Fig. 3, column 8 lines 42-46, column 9 lines 4-29). Petersen does not specifically enumerate a multi protocol label switched network as well as one that only allows unidirectional routing.

5. In the same field of endeavor, Rodriguez discloses multi protocol label switched and unidirectional routing in a label switched path (LSP) (Rodriguez teaches that an LSP represents a set of MPLS nodes traversed by packets belonging to a specific FEC. The set is an ordered, unidirectional list. Traffic flows from the node at the head-end of the list toward the node at the tail-end of the list.), (Section 18.2.3) and further discloses that LSP in an MPLS network can be implemented over an ATM network (Section 18.2.1.2).

6. Accordingly, it would have been obvious to one of ordinary skill in the art at the time of applicant's invention to combine the LSP and resulting unidirectional routing of the MPLS network of Rodriguez with the AAL2 connection of Petersen in order to gain the advantage of identifying optimum paths through a network, traffic engineering and quality of service routing as taught by Rodriguez.

7. Regarding claim 9, Petersen-Rodriguez discloses a method of segmenting a predefined, path through a network (column 4 lines 19-22), the method comprising: a) determining which nodes on the network are on the predefined path (column 4 lines 29-37, column 5 lines 1-25), where during the "activation phase" an activation packet is transmitted to all nodes on the connection path; b) defining segment nodes that define beginning and ending nodes for a network segment (column 4 lines 53-59, column 5 lines 1-25, column 5 lines 53-67), where the

Art Unit: 2143

activation phase defines the segment nodes and where the segment performance monitoring processing point defines start and end points of the segments for which-it performs- the monitoring; and c) configuring a network segment between beginning and ending nodes by instructing intervening nodes on how to forward data transmission units configured for that network segment (column 5 lines 1-25) where in the activation phase, DTU (activation packets) are transmitted along a segment and each node on the segment is instructed to act on that packet and then forward it.

8. Petersen-Rodriguez does not specifically enumerate a network that only allows unidirectional transmission. Rodriguez discloses unidirectional routing in a label switched path (LSP) (Section 18.2.3) and further discloses that LSP in an MPLS network can be implemented over an ATM network (Section 18.2.1:2). It would have been obvious to combine the LSP and resulting unidirectional routing of the MPLS network of Rodriguez with the AAL2 connection of Petersen in order to gain the advantage of identifying optimum paths through a network, traffic engineering and quality of service routing as taught by Rodriguez.

9. Regarding claim 2, Petersen-Rodriguez discloses the special type of a data transmission unit is an operation and maintenance data transmission unit (Fig. 4-6, column 9 line 36 -column 10 line 5).

10. Regarding claims 3 and 14, Petersen-Rodriguez discloses the data special type of a data transmission unit is a data transmission unit for use in determining a performance of a network segment (column 6 line 1-12), where the AAL2 data packets are used for segment performance monitoring.

Art Unit: 2143

11. Regarding claims 4 and 13, Petersen-Rodriguez discloses a MPLS (Multi-Protocol Label Switched) network (Section 18.1 MPLS overview).

12. Regarding claim 5, Petersen-Rodriguez discloses step b) of claim 1 includes notifying the intermediate nodes of the specific path (column 5 line 1-25), where during the activation phase the path from the source node to the destination node, through the intermediate nodes is established and the intermediate nodes each receive the activation packet.

13. Regarding claim 6, Peterson discloses step b) of claim 5 further includes reserving resources in the intermediate nodes for the specific path (column 5 line 1-25), where the intermediate nodes determine if they can allocate resources.

***Claim Rejections - 35 USC § 103***

14. Claims 15, 17 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Petersen.

15. Regarding claims 15 and 18, Petersen discloses a method of determining a performance of a network path, the method comprising: a) Dividing the network path into segments, each segment having a source node defining a beginning of the segment and a destination node defining an ending of the segment (column 5 lines 53-67); Transmitting a specialized data transmission unit from the source node to the destination node (column 6 lines 1-12); c) Receiving the specialized data transmission unit at the destination node (column 6 line 56 - column 7 line 4); d) Calculating the performance of the segment based on data contained in the specialized data transmission unit (column 10 lines 26-45); and

16. Petersen does not specifically enumerate determining if there is a fault on the segment based on whether the specialized data transmission unit is received by the, destination node

Art Unit: 2143

within a given amount of time, however, Petersen does teach determining if there is a fault based on "segment performance characterization factors" and further teaches that "it will be readily apparent to one skilled in the art that other segment performance characterization factors may be employed to monitor segment performance..." (column 10 lines 26-45). Furthermore, Petersen teaches a "time data field" wherein such "time data field" is used in monitoring the amount of a time a performance monitoring session takes, and further allowing intermediate nodes to determine if resources can be allocated for such a monitoring session. As Petersen teaches the monitoring of given amounts of time in the transmission of specialized DTUs, where such transmissions constitute a performance monitoring session, and as Petersen teaches other segment performance factors could be used in the performance monitoring,

17. Accordingly, it would have been obvious to determine the presence of a fault in the segment based on the receipt of a DTU at the destination node within a given amount of time, the motivation to do so being that all elements for such determination are taught in the invention of Petersen and furthermore, measuring latency is well known in the art.

18. Regarding claim 17, Petersen discloses step d) of claim 15 includes determining a transit time of the specialized data transmission unit through the segment (column 12 lines 53-67).

### ***Claim Rejections - 35 USC § 103***

19. Claims 16 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Petersen as applied to claims 15 and 18 above and further in view of Rodriguez.

20. Regarding claims 16 and 19, Petersen does not specifically enumerate a network path is in an MPLS network. Rodriguez discloses unidirectional routing in a label switched path (LSP)

Art Unit: 2143

(Section 18.2.3) and further discloses that LSP in an MPLS network can be implemented over an ATM network (Section 18.2.1.2). It would have been obvious to combine the LSP and resulting unidirectional routing of the MPLS network of Rodriguez with the AAL2 connection of Petersen in order to gain the advantage of identifying optimum paths through a network, traffic engineering and quality of service routing as taught by Rodriguez.

***Claim Rejections - 35 USC § 103***

21. Claims 20-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Klevans (US 6,885,677) in view of Petersen and Rodriguez.

22. Regarding claim 20, Klevans discloses a network router for routing data transmission units (DTUs), the router including: -a receiving module for receiving DTUs (Fig. 5 elements 70, 76); a transmitting module for transmitting DTUs (Fig. 5 elements 80, 74); a switch core module placed between the receiving module and the transmitting module for routing DTUs between the receiving and the transmitting modules (Fig. 5 elements 78, 72); and -a diagnostic module for determining a performance of a network path of the domain, (Fig. 5 element 96). Klevans does not specifically enumerate the diagnostic module being for processing specialized DTUs received by the receiving module and for creating specialized DTUs to be transmitted by the transmitting module, wherein the router executes computer readable and computer executable instructions for implementing a method for determining the performance of the network path, the method including: a) if the network router is a source node for the network path, transmitting the specialized DTUs to a destination node; and b) if the network router is a destination node for the network path, receiving the specialized DTUs and. performing an action chosen from the group



consisting of: b1) calculating the performance of the network path based on data contained in the specialized DTU; and b2) determining if there is a fault on the network path based on whether a specialized DTU is received within a given amount of time. However, these method steps correspond to the method steps of Claims 15 and 18, which have been rejected over Petersen as noted above, therefore these method steps are similarly rejected.

23. Accordingly, it would have been obvious to replace the node(s) of Petersen with the router of Klevans, such that Klevans router would perform the transmission, receipt and processing of DTUs as taught by Petersen, because it is well known that a node is simply a junction on a network, a router is a junction on a network or between two networks. It would be obvious for the node of Petersen to be a router, switch or some other type of networking device.

24. Klevans in view of Petersen does not specifically enumerate a domain, which only allows unidirectional flow. Rodriguez discloses unidirectional routing in a label switched path (LSP) (Section 18.2.3) and further discloses that LSP in an MPLS network can be implemented over an ATM network (Section 18.2.1.2).

25. Accordingly, it would have been obvious to combine the LSP and-resulting unidirectional routing of the MPLS network of Rodriguez with the router and AAL2 connection of Klevans in view of Petersen in order to gain the advantage of identifying optimum paths through a network, traffic engineering and quality of service routing as taught by Rodriguez.

26. Regarding claims 21, Rodriguez discloses the network is an MPLS (Multi Protocol Label Switched) network (as noted in claim 4 above) where the paths of the network are label switched paths as set up by an MPLS network.

Art Unit: 2143

27. Regarding claims 22 and 23, Petersen discloses the special type of a data transmission unit is an OAM (operation and maintenance) data transmission unit (Fig. 46, column 9 line 36 - column 10 line 5).

***Claim Rejections - 35 USC § 103***

28. Claims 7-8, 10-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Petersen in view of Rodriguez as applied to claims 1 and 9 above, and further in view of Klevans.

29. Regarding claims 7 and 10, Petersen in view of Rodriguez does not specifically enumerate the source node and the destination nodes are routers. Klevans teaches a router as noted in claim 20 above.

30. Accordingly, it would have been obvious for the nodes of Petersen to be a router, the motivation for such being the same as that noted in claim 20 above.

31. Regarding claims 8 and 11, Klevans discloses the routers are label switched routers (LSRs) (column 3 lines 48-54).

32. Regarding claim 12, Klevans discloses using label distribution protocols (LDPs), (column 3 lines 39-42).

***Response to Arguments***

33. Applicant's arguments filed on 29 July 2005 have been carefully considered but they are not deemed fully persuasive. However, because there exists the likelihood of future presentation of this argument, the Examiner thinks that it is prudent to address applicants' main points of contention. Applicant's arguments include:

Art Unit: 2143

A. Applicant argues that nothing in Rodriguez shows or fairly suggests segmentation of a path for operation and maintenance purposes.

33. As to "Point A", it is the position of the Examiner that in combination that Peterson-Rodriguez does explicitly disclose segmentation of a path for operation and maintenance purposes. [see Peterson, abstract]. Thus, it is also clear from the cited prior art reference that adaptation of ATM equipment to a MPLS environment was quite well known at the time the invention was made as disclosed in Klevans, Col. 1, lines 26-67 and Col. 2, lines 1-28].

***Conclusion***

34. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).


A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William C. Vaughn, Jr. whose telephone number is (571) 272-3922. The examiner can normally be reached on 8:00-6:00, 1st and 2nd Friday Off.

Art Unit: 2143

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David A. Wiley can be reached on (571) 272-3923. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
William C. Vaughn, Jr.  
Primary Examiner  
Art Unit 2143  
12 October 2005

WCV